



The Epidemiology of Injury in Western Australia, 2000–2008

Supplementary Tables

The Epidemiology of Injury in Western Australia, 2000–2008

Epidemiology Branch
Public Health Division, Department of Health WA

© Department of Health WA 2011

Suggested citation:

Ballestas T, Xiao J, McEvoy S and Somerford P (2011). The Epidemiology of Injury in Western Australia, 2000-2008. Perth: Department of Health WA.

Acknowledgements

This report would not have been possible without the assistance of the following people. Their contributions are greatly appreciated.

Somer Dawson, Glenn Draper and Stephanie Tomlin.

We would also like to thank the following Steering Committee members for their valuable input: Sylvia Griffiths, Karina Moore, Avonia Donnellan, Sylvie Price, Deborah Costello, Tracy Fuhrmann, Ann Barblett, Veronica Hoad, Kathy Crouchley, Anthony Gunnell, Isabel Redfern and Harriett Pears.

List of Tables

Table 1:	Number of injury deaths by cause and year, WA, 2000–2007	5
Table 2:	Number and age-standardised rates of injury hospitalisations by cause and year, WA, 2000–2008	6
Table 7:	Number and age-standardised rates of injury hospitalisations , Males, WA, 2000–2008	7
Table 8:	Number and age-standardised rates of injury hospitalisations , Females, WA, 2000–2008	8
Table 3:	Number of injury deaths by cause, WA, 2000–2007	9
Table 4:	Age specific rates of injury deaths by cause, WA, 2000–2007	10
Table 5:	Number of injury hospitalisations by cause and age group, WA, 2000–2008	11
Table 6:	Age specific rates of injury hospitalisations by cause and age group, WA, 2000–2008	12
Table 9:	Number and age-standardised rates of injury hospitalisations , Aboriginal people, WA, 2000–2008	13
Table 10:	Number and age-standardised rates of injury hospitalisations , Aboriginal males, WA, 2000–2008	14
Table 11:	Number and age-standardised rates of injury hospitalisations , Aboriginal females, WA, 2000–2008	15
Table 12:	Number and age-standardised rates of injury deaths by socioeconomic status and cause, WA, 2000–2007	16
Table 13:	Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, WA, 2000–2008	17
Table 14:	Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, Males, WA, 2000–2008	18
Table 15:	Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, Females, WA, 2000–2008	19
Table 16:	Number and age-standardised rates of injury deaths by remoteness of residency and cause, WA, 2000–2007	20
Table 17:	Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, WA, 2000–2008	21
Table 18:	Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, Males, WA, 2000–2008	22
Table 19:	Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, Females, WA, 2000–2008	23
Table 20:	Number and age-standardised rates of injury hospitalisations by health regions and cause, WA, 2000–2008	24
Table 21:	Number and age-standardised rates of injury hospitalisations by health regions and cause, Males, WA, 2000–2008	25
Table 22:	Number and age-standardised rates of injury hospitalisations by health regions and cause, Females, WA, 2000–2008	26

Notes for all tables:

1. For confidentiality reason, numbers of deaths or hospitalisations with a count <5 are not reported but labelled as “n/a”.
2. To ensure the reliability of the age standardised rates (ASRs), if numbers of deaths or hospitalisations are <20, no ASRs are reported but labelled as “n/a”.

Table 1: Number of injury deaths by cause and year, WA, 2000–2007

Year	Number of deaths											Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries								
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Suicide	Interpersonal violence							
2000	206	25	80	48	6	144	248	31	n/a	n/a	11				
2001	169	22	80	56	7	137	262	22	n/a	n/a	14				
2002	177	22	39	62	10	136	244	27	7	7	9				
2003	185	26	50	73	16	150	214	20	n/a	n/a	22				
2004	184	16	38	64	7	135	196	14	20	20	30				
2005	155	20	72	85	6	145	202	18	9	9	23				
2006	195	17	60	118	n/a	133	211	18	12	12	28				
2007	229	24	62	107	11	107	228	19	27	27	18				
2000–2007	1,500	172	481	613	66	1,087	1,805	169	87	87	155				
	Age-standardised rates of death (/100,000)														
2000	9.9	1.2	4.2	3.1	n/a	8.2	14	1.4	n/a	n/a					
2001	9.7	1.2	3.5	3.2	n/a	8.0	13	n/a	n/a	n/a					
2002	9.2	1.2	2.9	3.6	n/a	7.9	13	1.2	n/a	n/a					
2003	9.3	1.1	2.2	3.7	n/a	7.7	11	n/a	n/a	n/a					
2004	8.8	n/a	2.7	4.0	n/a	7.6	10	n/a	n/a	n/a	1.4				
2005	8.7	0.9	2.8	4.6	n/a	7.1	10	n/a	n/a	n/a	n/a				
2006	9.3	n/a	3.2	5.1	n/a	6.4	10	n/a	n/a	n/a	1.1				
2007	10	1.0	2.9	5.5	n/a	5.8	11	n/a	0.9	0.9	n/a				
2000–2007	9.4	1.1	3.0	4.2	0.4	7.3	11	1.1	0.5	0.5	1.1				

Table 2: Number and age-standardised rates of injury hospitalisations by cause and year, WA, 2000–2008

Year	Number of hospitalisations										
	Unintentional Injuries					Intentional injuries				Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence			
2000	4,271	78	1,113	9,727	672	10,494	2,263	2,366	353	7,225	
2001	4,203	54	1,041	9,357	699	10,309	2,308	2,537	386	6,973	
2002	4,071	49	923	9,403	620	10,408	2,209	2,709	289	7,000	
2003	4,318	50	815	9,828	565	10,722	2,110	2,724	274	7,081	
2004	4,433	48	769	10,170	552	11,051	2,171	2,652	279	7,020	
2005	4,513	35	666	10,145	600	11,263	2,163	2,688	287	7,516	
2006	4,755	43	721	10,431	520	11,997	2,149	2,716	337	7,685	
2007	4,800	46	715	10,307	595	12,523	2,082	2,710	249	8,173	
2008	5,126	53	873	11,285	523	12,682	2,476	3,024	378	8,627	
2000–2008	40,490	456	7,636	90,653	5,346	101,449	19,931	24,126	2,832	67,300	
Age-standardised rates of hospitalisations (/100,000)											
2000	222	3.4	57	537	36	549	119	127	19	395	
2001	217	3.1	54	529	35	545	117	131	18	388	
2002	216	2.7	48	519	33	543	113	136	16	376	
2003	217	2.5	43	524	30	548	110	137	14	369	
2004	222	2.3	38	526	29	555	107	135	14	369	
2005	225	2.1	36	523	28	566	106	133	15	370	
2006	227	2.1	34	509	28	578	103	131	14	378	
2007	232	2.3	37	512	26	586	105	134	15	385	
2008	232	2.4	37	510	26	588	106	134	15	390	
2000–2008	224	2.5	43	521	30	563	110	133	16	380	

Table 3: Number and age-standardised rates of injury hospitalisations , Males, WA, 2000–2008

Year	Number of hospitalisations											Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries								
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence							
2000	2,945	51	647	4,507	476	7,560	936	1,475	174	3,595					
2001	2,976	36	559	4,220	467	7,384	936	1,624	181	3,549					
2002	2,914	30	492	4,317	408	7,400	866	1,710	147	3,569					
2003	3,039	35	455	4,349	382	7,726	860	1,704	122	3,410					
2004	3,156	40	423	4,616	358	8,045	814	1,599	141	3,562					
2005	3,288	23	366	4,601	395	8,079	828	1,787	129	3,750					
2006	3,387	28	359	4,709	361	8,551	768	1,823	146	3,775					
2007	3,460	28	364	4,746	404	9,052	789	1,849	120	4,102					
2008	3,699	35	481	5,139	352	9,178	908	2,051	197	4,323					
2000–2008	28,864	306	4,146	41,204	3,603	72,975	7,705	15,622	1,357	33,635					
Age-standardised rates of hospitalisations (/100,000)															
2000	306	4.4	63	502	49	779	97	159	18	423					
2001	303	4.0	59	497	47	772	94	164	17	416					
2002	303	3.5	52	483	43	769	91	170	15	397					
2003	305	3.6	47	491	39	780	86	167	14	388					
2004	313	3.3	42	492	38	791	83	168	13	384					
2005	319	3.0	38	494	37	803	79	168	14	385					
2006	322	2.6	36	484	37	817	76	173	13	390					
2007	326	2.8	38	487	35	829	76	176	14	396					
2008	328	2.9	39	486	35	835	78	178	15	403					
2000–2008	314	3.3	46	491	40	799	84	169	15	398					

Table 4: Number and age-standardised rates of injury hospitalisations , Females, WA, 2000–2008

Year	Number of hospitalisations										
	Unintentional injuries						Intentional injuries			Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence			
2000	1,326	27	466	5,220	196	2,934	1,327	891	179	3,630	
2001	1,227	18	482	5,137	232	2,925	1,372	913	205	3,424	
2002	1,157	19	431	5,086	212	3,008	1,343	999	142	3,431	
2003	1,279	15	360	5,479	183	2,996	1,250	1,020	152	3,671	
2004	1,277	8	346	5,554	194	3,006	1,357	1,053	138	3,458	
2005	1,225	12	300	5,544	205	3,184	1,335	901	158	3,766	
2006	1,368	15	362	5,722	159	3,446	1,381	893	191	3,910	
2007	1,340	18	351	5,561	191	3,471	1,293	861	129	4,071	
2008	1,427	18	392	6,146	171	3,504	1,568	973	181	4,304	
2000–2008	11,626	150	3,490	49,449	1,743	28,474	12,226	8,504	1,475	33,665	
Age-standardised rates of hospitalisations (/100,000)											
2000	135	2.4	50	538	23	310	141	95	20	380	
2001	130	n/a	48	529	23	311	141	98	18	372	
2002	127	n/a	44	526	22	309	136	102	17	365	
2003	127	n/a	39	529	21	308	135	106	15	359	
2004	128	n/a	34	532	20	309	133	102	15	362	
2005	129	n/a	34	526	19	320	136	96	16	362	
2006	129	n/a	33	512	18	329	131	88	16	374	
2007	132	n/a	35	516	17	331	136	89	16	381	
2008	131	n/a	35	513	17	328	136	89	15	385	
2000–2008	130	n/a	39	524	20	317	136	96	17	371	

Table 5: Number of injury deaths by cause, WA, 2000–2007

Age group	Number of deaths											
	Unintentional injuries						Intentional injuries			Undetermined	Medical complications	
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Suicide	Interpersonal violence				
0-4	25	39	n/a	n/a	n/a	44	n/a	7	n/a	n/a	n/a	
5-9	28	6	n/a	n/a	n/a	8	n/a	n/a	n/a	n/a	n/a	
10-14	26	n/a	n/a	n/a	n/a	11	8	n/a	n/a	n/a	n/a	
15-19	241	n/a	22	n/a	n/a	27	110	12	8	n/a	n/a	
20-24	219	10	54	n/a	n/a	31	181	19	10	n/a	n/a	
25-29	142	12	74	11	n/a	48	218	15	11	n/a	n/a	
30-34	142	15	66	n/a	n/a	34	211	17	9	n/a	n/a	
35-39	121	9	66	n/a	n/a	48	198	33	9	n/a	n/a	
40-44	87	13	61	12	n/a	40	206	21	7	n/a	n/a	
45-49	86	9	41	12	9	47	177	13	13	n/a	n/a	
50-54	73	10	30	17	n/a	27	129	6	n/a	n/a	n/a	
55-59	72	11	22	11	n/a	18	106	7	n/a	n/a	n/a	
60-64	57	7	10	20	n/a	23	64	6	n/a	n/a	8	
65-69	39	8	8	19	8	38	42	n/a	n/a	n/a	8	
70-74	35	7	n/a	33	n/a	48	47	n/a	n/a	n/a	17	
75-79	39	n/a	8	44	n/a	66	46	n/a	n/a	n/a	24	
80-84	37	n/a	n/a	105	n/a	113	28	n/a	n/a	n/a	40	
85+	31	n/a	11	255	8	416	34	n/a	n/a	n/a	40	

Table 6: Age specific rates of injury deaths by cause, WA, 2000–2007

Age group	Age specific rate of deaths (/100,000)											Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries								
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Suicide	Interpersonal violence							
0-4	2.4	3.9	0.1	0.3	0.5	4.3	0.0	0.7	0.1	0.2					
5-9	2.5	0.6	0.0	0.2	0.2	0.8	0.0	0.4	0.0	0.0					
10-14	2.3	0.2	0.1	0.1	0.1	1.0	0.7	0.1	0.2	0.0					
15-19	21	0.4	1.9	0.5	0.2	2.4	9.5	1.1	0.7	0.0					
20-24	20	0.9	4.9	0.5	0.2	2.8	16	1.7	0.9	0.0					
25-29	13	1.1	6.8	1.1	0.3	4.4	20	1.4	1.0	0.0					
30-34	12	1.3	5.5	0.3	0.3	3.1	18	1.4	0.7	0.1					
35-39	10	0.7	5.4	0.4	0.2	4.0	16	2.8	0.7	0.0					
40-44	7.2	1.0	4.9	1.1	0.4	3.3	17	1.7	0.6	0.3					
45-49	7.1	0.8	3.6	1.2	0.7	3.9	15	1.1	1.1	0.3					
50-54	6.6	0.9	2.8	2.0	0.1	2.5	12	0.6	0.4	0.3					
55-59	8.0	1.1	2.5	1.4	0.3	2.1	12	0.8	0.3	0.5					
60-64	8.3	1.0	1.4	3.4	0.3	3.4	9.3	0.8	0.3	1.2					
65-69	7.0	1.4	1.4	4.2	1.4	6.8	7.7	0.7	0.2	1.4					
70-74	7.8	1.6	0.7	7.8	0.4	11	11	0.5	0.4	3.8					
75-79	11	1.4	2.3	14	1.4	18	13	0.5	0.5	6.7					
80-84	15	1.2	1.1	46	0.8	46	12	0.0	0.7	17					
85+	15	0.0	5.4	136	3.9	208	18	0.0	0.5	21					

Table 7: Number of injury hospitalisations by cause and age group, WA, 2000–2008

Age group	Number of hospitalisations											Medical complications	
	Unintentional injuries							Intentional injuries			Undetermined		
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence					
0-4	1,065	247	2,419	7,231	1,358	6,598	0	403	72	1,222			
5-9	2,120	34	188	7,332	358	5,159	7	117	29	951			
10-14	4,412	23	193	6,309	298	6,622	417	418	114	959			
15-19	6,337	21	527	3,308	428	10,589	2,907	3,223	411	1,895			
20-24	5,430	25	640	2,656	500	10,720	2,871	4,237	414	2,359			
25-29	4,004	20	557	2,443	368	9,376	2,596	3,862	375	2,608			
30-34	3,276	16	480	2,387	314	8,639	2,560	3,676	332	3,486			
35-39	2,956	18	468	2,537	338	8,014	2,468	2,912	326	3,894			
40-44	2,468	11	390	2,578	291	7,217	2,074	2,134	262	4,712			
45-49	1,991	n/a	329	3,000	249	6,192	1,574	1,377	159	5,057			
50-54	1,540	n/a	269	3,399	227	5,440	983	820	133	5,994			
55-59	1,218	7	214	3,684	173	4,536	616	376	66	5,925			
60-64	837	7	178	3,544	88	3,334	315	242	50	5,565			
65-69	676	8	140	3,856	98	2,282	164	132	25	5,539			
70-74	604	n/a	138	4,972	76	1,902	129	73	21	5,436			
75-79	615	n/a	167	7,011	67	1,736	102	57	17	5,172			
80-84	509	n/a	171	8,921	56	1,485	72	39	14	3,789			
85+	432	n/a	168	15,485	59	1,608	76	28	12	2,737			

Table 8: Age specific rates of injury hospitalisations by cause and age group, WA, 2000–2008

Age group	Age specific rates of hospitalisations (/100,000)										
	Unintentional injuries						Intentional injuries		Undetermined	Medical complications	
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence			
0-4	91	21	206	618	116	564	0.0	35	6.0	104	
5-9	173	2.8	16	600	29	422	1.0	10	2.0	78	
10-14	346	n/a	15	493	23	518	33	33	9.0	75	
15-19	487	n/a	41	254	33	816	224	247	32	146	
20-24	425	n/a	50	208	39	840	225	331	32	184	
25-29	321	n/a	44	194	30	752	208	310	30	209	
30-34	248	n/a	36	180	24	656	194	280	25	264	
35-39	217	n/a	34	186	25	586	180	214	24	284	
40-44	177	n/a	28	187	21	522	150	153	19	342	
45-49	150	n/a	25	226	19	466	118	104	12	380	
50-54	126	n/a	22	278	19	447	80	67	11	491	
55-59	118	n/a	21	357	17	440	60	37	6.0	574	
60-64	106	n/a	22	443	11	418	39	31	6.0	695	
65-69	108	n/a	22	614	16	366	26	21	4.0	887	
70-74	118	n/a	27	968	14	372	25	14	4.0	1,057	
75-79	148	n/a	40	1,686	16	418	24	14	4.0	1,242	
80-84	181	n/a	61	3,170	20	531	25	14	5.0	1,348	
85+	188	n/a	73	6,710	26	700	33	12	5.0	1,187	

Table 9: Number and age-standardised rates of injury hospitalisations , Aboriginal people, WA, 2000–2008

Year	Number of hospitalisations										
	Unintentional injuries						Intentional injuries		Undetermined	Medical complications	
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence			
2000	277	n/a	92	459	97	658	192	1,068	48	371	
2001	279	n/a	75	456	106	651	188	1,130	39	366	
2002	315	n/a	72	486	81	726	193	1,294	27	361	
2003	291	n/a	80	480	76	781	209	1,317	42	336	
2004	324	n/a	77	529	79	683	178	1,280	31	329	
2005	314	n/a	68	471	74	719	160	1,164	37	331	
2006	344	n/a	67	511	80	763	190	1,119	40	386	
2007	318	n/a	65	524	97	768	135	1,097	35	349	
2008	305	n/a	71	563	82	824	158	1,183	72	424	
2000–2008	2,767	30	667	4,479	772	6,573	1,603	10,652	371	3253	
Age-standardised rates of hospitalisations (/100,000)											
2000	403	n/a	110	841	163	1,015	296	1,796	68	946	
2001	415	n/a	98	842	150	1,003	290	1,879	60	846	
2002	406	n/a	92	870	136	1,118	294	1,972	55	908	
2003	430	n/a	93	954	115	1,123	281	2,005	52	756	
2004	424	n/a	101	985	105	970	268	1,898	54	733	
2005	442	n/a	95	1,014	107	982	257	1,782	54	833	
2006	426	n/a	90	973	123	1,048	235	1,670	55	793	
2007	417	n/a	85	1,005	127	1,030	225	1,652	73	800	
2008	408	n/a	85	997	137	1,073	202	1,636	79	893	
2000–2008	419	3.2	94	945	129	1,040	260	1,806	61	834	

Table 10: Number and age-standardised rates of injury hospitalisations , Aboriginal males, WA, 2000–2008

Year	Number of hospitalisations											Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries								
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence							
2000	190	n/a	50	247	68	414	85	451	24	151					
2001	190	n/a	34	265	58	415	82	490	20	155					
2002	217	n/a	35	281	52	457	83	568	10	157					
2003	189	n/a	44	272	48	509	100	561	23	136					
2004	209	n/a	42	302	53	446	84	518	20	153					
2005	207	n/a	31	272	44	501	75	525	17	134					
2006	228	n/a	25	259	50	467	78	515	11	176					
2007	209	n/a	32	278	65	500	62	514	18	144					
2008	208	n/a	40	293	55	536	64	532	30	206					
2000–2008	1,847	15	333	2,469	493	4,245	713	4,674	173	1,412					
Age-standardised rates of hospitalisations (/100,000)															
2000	560	n/a	110	893	206	44	279	1,620	n/a	750					
2001	583	n/a	100	874	194	46	264	1,705	n/a	767					
2002	548	n/a	97	911	168	49	275	1,791	n/a	721					
2003	569	n/a	104	988	153	49	261	1,754	n/a	682					
2004	543	n/a	107	1,082	141	50	263	1,668	n/a	662					
2005	583	n/a	86	1,102	144	48	235	1,602	n/a	714					
2006	556	n/a	80	1,030	162	49	213	1,591	n/a	690					
2007	554	n/a	84	974	167	49	189	1,564	n/a	734					
2008	534	n/a	93	956	189	50	175	1,544	80	740					
2000–2008	558	n/a	96	977	169	48	238	1,644	58	717					

Table 11: Number and age-standardised rates of injury hospitalisations , Aboriginal females, WA, 2000–2008

Year	Number of hospitalisations										Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries							
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self harm/suicide	Interpersonal violence						
2000	87	n/a	42	212	29	244	107	617	24	220				
2001	89	n/a	41	191	48	236	106	640	19	211				
2002	98	n/a	37	205	29	269	110	726	17	204				
2003	102	n/a	36	208	28	272	109	756	19	200				
2004	115	n/a	35	227	26	237	94	762	11	176				
2005	107	n/a	37	199	30	218	85	639	20	197				
2006	116	n/a	42	252	30	296	112	604	29	210				
2007	109	n/a	33	246	32	268	73	583	17	205				
2008	97	n/a	31	270	27	288	94	651	42	218				
2000–2008	920	15	334	2,010	279	2,328	890	5,978	198	1,841				
Age-standardised rates of hospitalisations (/100,000)														
2000	110	n/a	254	797	119	782	314	1,968	n/a	1,029				
2001	97	n/a	255	808	107	775	317	2,053	n/a	1,021				
2002	87	n/a	267	825	106	861	314	2,158	n/a	944				
2003	84	n/a	296	909	81	831	301	2,264	n/a	905				
2004	97	n/a	309	899	73	699	275	2,140	n/a	887				
2005	105	n/a	309	951	74	625	280	1,981	n/a	863				
2006	101	n/a	299	936	89	854	259	1,774	88	923				
2007	87	n/a	284	1,023	90	754	261	1,765	n/a	918				
2008	78	n/a	285	1,019	92	768	230	1,751	131	942				
2000–2008	94	n/a	284	912	92	771	283	1,979	68	936				

Table 12: Number and age-standardised rates of injury deaths by socioeconomic status and cause, WA, 2000–2007

Socioeconomic status	Number of deaths									
	Unintentional injuries						Intentional injuries		Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Suicide	Interpersonal violence		
Most disadvantaged	201	27	31	43	n/a	101	162	32	n/a	14
Disadvantaged	216	28	83	71	16	176	306	30	14	21
Neither disadvantaged nor advantaged	243	27	75	98	11	184	290	30	11	24
Advantaged	388	41	114	138	12	242	417	38	23	36
Least disadvantaged	444	47	175	259	22	378	628	38	36	60
State	1,492	170	478	609	66	1,081	1,803	168	87	155
Age-standardised rates of death (/100,000)										
Most disadvantaged	22	2.9	3.4	5.3	n/a	12	18	3.4	n/a	n/a
Disadvantaged	9.3	1.2	3.6	3.2	n/a	7.8	13	1.3	n/a	n/a
Neither disadvantaged nor advantaged	12	1.3	3.6	4.4	n/a	8.4	14	1.4	n/a	n/a
Advantaged	9.7	1.0	2.8	4.4	n/a	7.2	10	0.9	0.6	1.1
Least disadvantaged	6.9	0.8	2.7	4.1	n/a	6.0	10	0.6	0.6	1.0
State	9.4	1.1	3.0	4.1	0.4	7.2	11	1.1	0.5	1.1

Table 13: Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, WA, 2000–2008

Socioeconomic status	Number of hospitalisations									
	Intentional injuries						Intentional injuries		Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence		
Most disadvantaged	4,520	44	817	8,109	845	9,649	1,764	7,940	380	15,284
Disadvantaged	6,199	60	1,320	13,593	840	14,839	3,416	2,947	475	14,275
Neither disadvantaged nor advantaged	6,349	61	1,193	13,080	815	14,014	2,815	3,251	456	12,758
Advantaged	10,396	137	1,885	19,848	1,312	25,769	4,367	4,508	633	11,882
Least disadvantaged	12,955	153	2,373	35,909	1,517	37,009	7,359	5,293	848	13,030
State	40,419	455	7,588	90,539	5,329	101,280	19,721	23,939	2,792	67,229
Age-standardised rates of hospitalisations (/100,000)										
Most disadvantaged	423	3.7	73	802	77	910	167	749	36	539
Disadvantaged	237	2.3	50	524	32	566	130	112	18	411
Neither disadvantaged nor advantaged	274	2.7	51	529	35	595	123	143	20	389
Advantaged	223	2.8	40	472	28	554	93	96	14	374
Least disadvantaged	175	2.2	34	506	21	506	98	71	11	347
State	224	2.6	43	521	30	562	109	132	15	380

Table 14: Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, Males, WA, 2000–2008

Socioeconomic status	Number of hospitalisations									
	Intentional injuries						Intentional injuries		Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence		
Most disadvantaged	3,157	25	457	3,853	558	6,733	753	3,779	193	7,571
Disadvantaged	4,473	40	712	6,156	570	10,697	1,339	2,088	231	7,362
Neither disadvantaged nor advantaged	4,437	40	625	5,911	553	10,113	1,177	2,198	210	6,471
Advantaged	7,594	92	1,057	9,561	912	18,951	1,679	3,371	284	5,904
Least disadvantaged	9,145	109	1,261	15,651	998	26,342	2,607	4,040	412	6,279
State	28,806	306	4,112	41,132	3,591	72,836	7,555	15,476	1,330	33,587
Age-standardised rates of hospitalisations (/100,000)										
Most disadvantaged	569	4.2	80	744	99	2,808	137	686	36	526
Disadvantaged	340	3.0	54	498	43	1,121	100	156	17	430
Neither disadvantaged nor advantaged	378	3.4	53	510	47	1,184	101	190	18	405
Advantaged	319	3.7	44	446	38	583	71	141	12	390
Least disadvantaged	245	3.1	36	472	28	397	70	106	11	367
State	314	3.4	46	491	39	797	83	168	15	397

Table 15: Number and age-standardised rates of injury hospitalisations by socioeconomic status and cause, Females, WA, 2000–2008

Socioeconomic status	Number of hospitalisations									
	Intentional injuries						Intentional injuries		Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence		
Most disadvantaged	1,363	19	360	4,256	287	2,916	1,011	4,161	187	7,713
Disadvantaged	1,726	20	608	7,437	270	4,142	2,077	859	244	6,913
Neither disadvantaged nor advantaged	1,912	21	568	7,169	262	3,901	1,638	1,053	246	6,287
Advantaged	2,802	45	828	10,287	400	6,818	2,688	1,137	349	5,978
Least disadvantaged	3,810	44	1,112	20,258	519	10,667	4,752	1,253	436	6,751
State	11,613	149	3,476	49,407	1,738	28,444	12,166	8,463	1,462	33,642
Age-standardised rates of hospitalisations (/100,000)										
Most disadvantaged	266	n/a	66	830	53	570	200	818	37	563
Disadvantaged	132	n/a	46	527	21	315	161	66	19	401
Neither disadvantaged nor advantaged	166	n/a	49	526	23	327	145	95	22	379
Advantaged	124	1.8	36	476	17	299	117	49	15	364
Least disadvantaged	103	1.3	31	510	15	291	127	34	12	339
State	130	1.7	39	525	20	317	136	96	16	372

Table 16: Number and age-standardised rates of injury deaths by remoteness of residency and cause, WA, 2000–2007

Remoteness of residency	Number of deaths										
	Unintentional injuries						Intentional injuries			Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Suicide	Interpersonal violence			
Inner Regional WA	453	37	114	154	16	274	462	43	25	45	
Major WA Cities	559	80	298	377	37	607	987	75	47	95	
Outer Regional WA	204	23	35	45	n/a	104	167	14	11	10	
Remote/ Very Remote WA	276	30	31	33	7	96	187	36	n/a	n/a	
State	1,492	170	478	609	66	1,081	1,803	168	87	155	
Age-standardised rates of deaths (/100,000)											
Inner Regional WA	10	1.0	3.4	4.1	n/a	7.2	11	0.9	0.6	1.1	
Major WA Cities	6.3	0.8	2.6	4.1	0.4	6.7	11	0.8	0.5	1.1	
Outer Regional WA	16	1.7	2.7	3.6	n/a	8.0	13	n/a	n/a	n/a	
Remote WA/Very Remote	23	2.3	2.3	4.4	n/a	10.0	15	2.6	n/a	n/a	
State	9.4	1.1	3.0	4.1	0.4	7.2	11	1.1	0.5	1.1	

Table 17: Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, WA, 2000–2008

Remoteness of residency	Number of hospitalisations									
	Intentional injuries						Intentional injuries			
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/ suicide	Interpersonal violence	Undetermined	Medical complications
Inner Regional WA	12,562	123	1,972	23,980	1,337	29,447	5,021	4,430	650	20,174
Major WA Cities	16,634	218	3,801	48,958	2,169	48,976	11,409	7,994	1,392	35,737
Outer Regional WA	5,116	52	853	9,047	729	10,726	1,767	2,501	318	6,234
Remote WA	1,798	8	322	2,792	308	3,614	294	476	107	1,502
Very Remote WA	4,309	54	640	5,762	786	8,517	1,230	8,538	325	3,582
State	40,419	455	7,588	90,539	5,329	101,280	19,721	23,939	2,792	67,229
Age-standardised rates of hospitalisations (/100,000)										
Inner Regional WA	243	2.3	38	493	26	571	99	88	13	400
Major WA Cities	168	2.4	39	497	23	496	113	79	14	361
Outer Regional WA	336	3.3	54	596	46	698	119	170	21	404
Remote WA	464	n/a	64	718	75	895	75	122	27	372
Very Remote WA	417	4.4	43	713	76	836	115	793	32	426
State	224	2.6	43	521	30	562	109	132	15	380

Table 18: Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, Males, WA, 2000–2008

Remoteness of residency	Number of hospitalisations									
	Intentional injuries						Non-intentional injuries			
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence	Undetermined	Medical complications
Inner Regional WA	9,182	83	1,095	11,221	940	21,497	1,858	3,388	281	10,174
Major WA Cities	11,680	142	2,026	21,014	1,400	34,995	4,320	6,226	671	17,608
Outer Regional WA	3,575	37	459	4,277	506	7,769	684	1,604	172	3,249
Remote WA	1,303	7	173	1,356	230	2,589	133	298	51	842
Very Remote WA	3,066	37	359	3,264	515	5,986	560	3,960	155	1,714
State	28,806	306	4,112	41,132	3,591	72,836	7,555	15,476	1,330	33,587
Age-standardised rates of hospitalisations (/100,000)										
Inner Regional WA	351	3.1	42	463	36	827	74	134	11	416
Major WA Cities	235	3.0	42	468	29	705	86	121	13	381
Outer Regional WA	456	4.6	56	562	63	984	89	211	22	422
Remote WA	625	n/a	78	657	107	1208	62	143	24	410
Very Remote WA	550	5.8	65	688	93	1077	96	693	27	381
State	314	3.4	46	491	39	797	83	168	15	397

Table 19: Number and age-standardised rates of injury hospitalisations by remoteness of residency and cause, Females, WA, 2000–2008

Remoteness of residency	Number of hospitalisations									
	Unintentional injuries						Intentional injuries		Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/ suicide	Interpersonal violence		
Inner Regional WA	3,380	40	877	12,759	397	7,950	3,163	1,042	369	10,000
Major WA Cities	4,954	76	1,775	27,944	769	13,981	7,089	1,768	721	18,129
Outer Regional WA	1,541	15	394	4,770	223	2,957	1,083	897	146	2,985
Remote WA	495	n/a	149	1,436	78	1,025	161	178	56	660
Very Remote WA	1,243	17	281	2,498	271	2,531	670	4,578	170	1,868
State	11,613	149	3,476	49,407	1,738	28,444	12,166	8,463	1,462	33,642
	Age-standardised rates of hospitalisations (/100,000)									
Inner Regional WA	132	1.5	34	504	15	308	124	42	11	389
Major WA Cities	99	1.7	36	499	16	281	141	35	14	351
Outer Regional WA	207	n/a	51	603	29	388	151	126	24	392
Remote WA	276	n/a	71	749	39	528	91	97	28	339
Very Remote WA	264	n/a	56	734	56	552	137	909	32	487
State	130	1.7	39	525	20	317	136	96	16	372

Table 20: Number and age-standardised rates of injury hospitalisations by health regions and cause, WA, 2000–2008

Health Region	Number of hospitalisations											Undetermined	Medical complications		
	Unintentional injuries						Intentional injuries								
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence							
Goldfields	1,913	17	331	2,362	344	3,758	628	1,675	143	1,571					
Great Southern	1,531	n/a	246	2,865	225	3,119	528	592	97	1,906					
Kimberley	1,432	17	200	2,051	325	3,183	497	4,680	113	1,390					
Midwest	1,672	17	317	3,165	262	3,544	604	1,521	161	2,185					
NMAHS	13,217	177	2,706	36,024	1,565	37,479	8,715	5,683	1,022	27,015					
Pilbara	1,534	23	197	1,914	237	2,985	390	2,235	73	1,188					
SMAHS	12,743	142	2,599	31,086	1,590	34,073	6,566	5,742	908	24,110					
South West	3,767	40	562	6,687	415	7,854	1,246	998	146	5,103					
Wheatbelt	2,610	16	430	4,385	366	5,285	547	813	129	2,761					
State	40,419	455	7,588	90,539	5,329	101,280	19,721	23,939	2,792	67,229					
Age-standardised rates of hospitalisations (/100,000)															
Goldfields	367	n/a	63	580	65	735	118	308	28	371					
Great Southern	327	n/a	51	552	47	655	118	139	22	367					
Kimberley	465	n/a	61	842	107	1,047	151	1,463	36	587					
Midwest	311	n/a	57	633	47	653	115	291	30	419					
NMAHS	177	2.5	37	504	21	503	115	75	14	370					
Pilbara	377	n/a	45	691	64	750	92	540	19	400					
SMAHS	196	2.3	41	483	25	527	101	88	14	370					
South West	315	3.4	46	549	34	651	105	88	12	417					
Wheatbelt	429	n/a	67	664	58	837	91	140	22	403					
State	224	2.6	43	521	30	562	109	132	15	380					

Table 21: Number and age-standardised rates of injury hospitalisations by health regions and cause, Males, WA, 2000–2008

Health Regions	Number of hospitalisations										
	Unintentional injuries						Intentional injuries			Undetermined	Medical complications
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence			
Goldfields	1,384	n/a	198	1,313	244	2,758	257	897	73	734	
Great Southern	1,015	n/a	134	1,252	160	2,264	202	413	46	992	
Kimberley	975	n/a	111	1,148	207	2,156	234	2,102	57	632	
Midwest	1,226	13	179	1,608	184	2,548	249	819	92	1,195	
NMAHS	9,370	111	1,471	15,948	1,026	26,970	3,186	4,457	486	13,237	
Pilbara	1,159	18	110	1,141	157	2,164	185	1,112	38	570	
SMAHS	9,150	95	1,379	13,669	1,063	24,526	2,543	4,415	420	12,175	
South West	2,709	38	316	3,061	285	5,711	488	755	66	2,569	
Wheatbelt	1,818	10	214	1,992	265	3,739	211	506	52	1,483	
State	28,806	306	4,112	41,132	3,591	72,836	7,555	15,476	1,330	33,587	
Age-standardised rates of hospitalisations (/100,000)											
Goldfields	495	n/a	70	567	88	1,005	90	311	26	333	
Great Southern	426	n/a	54	503	64	943	89	189	20	385	
Kimberley	600	n/a	65	824	131	1,321	134	1,276	33	489	
Midwest	439	n/a	62	607	64	905	91	299	33	445	
NMAHS	249	3.0	41	472	28	718	84	116	13	387	
Pilbara	514	n/a	48	643	75	955	77	499	16	360	
SMAHS	280	3.0	44	456	33	755	79	134	13	394	
South West	444	6.4	51	510	46	932	82	130	11	431	
Wheatbelt	568	n/a	65	613	82	1,141	68	165	16	422	
State	314	3.4	46	491	39	797	83	168	15	397	

Table 22: Number and age-standardised rates of injury hospitalisations by health regions and cause, Females, WA, 2000–2008

Health Regions	Number of hospitalisations										Medical complications	
	Unintentional injuries						Intentional injuries			Undetermined		
	Land transportation	Drowning	Poisoning	Falls	Fires, burns and scalds	Other unintentional	Self-harm/suicide	Interpersonal violence				
Goldfields	529	9	133	1,049	100	1,000	371	778	70	837		
Great Southern	516	n/a	112	1,613	65	855	326	179	51	914		
Kimberley	457	8	89	903	118	1,027	263	2,578	56	758		
Midwest	446	n/a	138	1,557	78	996	355	702	69	990		
NMAHS	3,847	66	1,235	20,076	539	10,509	5,529	1,226	536	13,778		
Pilbara	375	n/a	87	773	80	821	205	1,123	35	618		
SMAHS	3,593	47	1,220	17,417	527	9,547	4,023	1,327	488	11,935		
South West	1,058	n/a	246	3,626	130	2,143	758	243	80	2,534		
Wheatbelt	792	n/a	216	2,393	101	1,546	336	307	77	1,278		
State	11,613	149	3,476	49,407	1,738	28,444	12,166	8,463	1,462	33,642		
Age-standardised rates of hospitalisations (/100,000)												
Goldfields	223	n/a	54	571	39	425	150	305	30	420		
Great Southern	222	n/a	47	574	28	353	150	85	23	355		
Kimberley	317	n/a	58	873	79	742	170	1,663	38	711		
Midwest	172	n/a	50	637	28	378	141	281	27	393		
NMAHS	103	1.9	34	507	15	282	146	33	14	363		
Pilbara	213	n/a	42	751	51	500	112	590	23	462		
SMAHS	110	1.6	38	486	17	292	124	41	15	355		
South West	179	n/a	41	564	22	354	131	43	14	410		
Wheatbelt	273	n/a	70	691	32	493	118	112	28	385		
State	130	1.7	39	525	20	425	136	96	16	372		

00
00
0

Delivering a **Healthy WA**